



Spare parts for:  
**Espresso machines**



# Booster pumps



This catalogue is automatically generated.  
Therefore, the sequence of the items might  
not be always shown at best.  
Updates will be issued in case of additions  
and/or amendments.





## Booster pumps



Suitable for:

**1330018 ROTARY VANE PUMP CIMBALI/FAEMA ø 3/8"**  
flange connection  
with balanced by-pass  
fitting ø 3/8" gas  
flowrate 180 L/h  
for Coffee machine (CASADIO) DIECIA - DIECIS  
for Coffee machine (CIMBALI) M24 - M39 - M39GT  
for Coffee machine (FAEMA) EMBLEMA



CASADIO 462991010  
CIMBALI 462-707-010  
CIMBALI 462-992-000  
CIMBALI 533-199-110  
CIMBALI 537-048-400  
FAEMA 462991000  
FAEMA 2241130176

CIMBALI 2241-130-176  
CIMBALI 462-991-000  
CIMBALI 533-180-000  
CIMBALI 533-408-000  
CIMBALI 537-048-500  
FAEMA 462991010  
FAEMA 462707000

CIMBALI 462-707-000  
CIMBALI 462-991-010  
CIMBALI 533-180-010  
CIMBALI 533408000  
FAEMA 462707010  
FAEMA 462992000

Suitable for:

**1330031 ROTARY VANE PUMP CIMBALI/FAEMA ø 3/8"**  
flange connection  
flowrate 150L/h  
with balanced bypass  
fitting ø 3/8" gas



CIMBALI 2241-130-177

FAEMA 2241130177

FAEMA 1441132497

**1330033 ROTARY VANE PUMP CIMBALI/FAEMA ø 3/8"**  
flange coupling  
flow rate 180 liters/h  
with balanced bypass



CIMBALI

FAEMA

**1330017 ROTARY VANE PUMP PROCON ø 3/8"**  
flange connection  
flowrate 150L/h  
fitting ø 3/8"  
with balanced bypass  
small shaft for CASADIO-CIMBALI-FAEMA  
for Coffee machine (CASADIO)  
for Coffee machine (CIMBALI)  
for Coffee machine (FAEMA)



CASADIO 533199110

CIMBALI 533-197-900

FAEMA 533197900

**1330011 ROTARY VANE PUMP PROCON ø 3/8" NPT**  
flange connection  
flow rate 200 l/h  
equipped with balanced bypass  
connection ø 3/8" conical NPT  
for Coffee machine (FAEMA) DUE - E91



FAEMA

**1349100 PUMP CONNECTION ø 3/8" CONIC-3/8" STRAIGH**  
3/8" CONICAL (NPT)-3/8" STRAIGHT



CIMBALI 532-500-600  
FIORENZATO C.S. A1300008  
RANCILIO

CONTI 755200  
GRIMAC A1300008  
VFA EXPRES

FAEMA 532500600  
PAVONI 31104001



Suitable for:

## Booster pumps



### 1330012 ROTARY VANE PUMP PROCON ø 3/8" NPT

clamp connection  
flow rate 200 l/h  
equipped with balanced bypass  
connection ø 3/8" conical NPT  
for Coffee machine (ASTORIA CMA) ARGENTA - BRAVA  
COMPACT - DIVINA  
for Coffee machine (BEZZERA) ELLISSE  
for Coffee machine (GAGGIA) DECO - GD - GE - XD  
XE  
for Coffee machine (WEGA) CONCEPT



ASTORIA CMA 26302  
GAGGIA DM0217/003/PG  
MAGISTER 210002  
PAVONI 452005  
RENEKA

BEZZERA  
GRIMAC 1220100002  
MAIRALI  
PAVONI 452011  
SAN MARCO

CONTI  
GRIMAC F142  
ORCHESTRALE D26302  
RANCILIO 69000039  
WEGA WY26302

### 1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP

for Coffee machine (VIBIEMME) CHIMAERA - CUBO  
DOSAPLUS - EVOLUTION - KOMETA - LOLLO  
MERCURY - MINIMAX - REPLIC - REVOLUTION  
SILVER



ASTORIA CMA 26310003  
BRASILIA 02223.0.00.03  
FAEMA 539000101  
MAGISTER 210005  
ORCHESTRALE D26310003  
ROYAL  
VIBIEMME FASCOT

AZKOYEN  
CIMBALI 539-000-101  
FUTURMAT-ARIETE  
MAIRALI  
PAVONI 404704  
SAN MARCO 202180  
WEGA WY26310003

BFC  
CONTI  
GRIMAC  
MARCFI-ANCAS  
RENEKA  
VIBIEMME ELETFASCPOMPA

### 1330016 ROTARY VANE PUMP PROCON ø 3/8" NPT

clamp connection  
flow rate 200 l/h  
equipped with balanced bypass  
with built-in filter  
connection ø 3/8" conical NPT  
for Coffee machine (RENEKA) XLPALLAS  
for Coffee machine (VIBIEMME) CHIMAERA - CUBO  
DOSAPLUS - EVOLUTION - KOMETA - LOLLO  
MERCURY - MINIMAX - REPLIC - REVOLUTION  
SILVER



AZKOYEN  
FAEMA 533196900  
VIBIEMME POMPPROCCFL

CIMBALI 533-196-900  
RENEKA 9007958

ELEKTRA 00046035  
VIBIEMME POMPPROCCFLBYP

### 1349100 PUMP CONNECTION ø 3/8" CONIC-3/8" STRAIGH 3/8" CONICAL (NPT)-3/8" STRAIGHT



CIMBALI 532-500-600  
FIORENZATO C.S. A1300008  
RANCILIO

CONTI 755200  
GRIMAC A1300008  
VFA EXPRES

FAEMA 532500600  
PAVONI 31104001

### 1349100 PUMP CONNECTION ø 3/8" CONIC-3/8" STRAIGH 3/8" CONICAL (NPT)-3/8" STRAIGHT



CIMBALI 532-500-600  
FIORENZATO C.S. A1300008  
RANCILIO

CONTI 755200  
GRIMAC A1300008  
VFA EXPRES

FAEMA 532500600  
PAVONI 31104001



Suitable for:

## Booster pumps



**1330019 ROTARY VANE PUMP PROCON ø 3/8" NPT**  
clamp connection  
flowrate 100 L/h  
with balanced by-pass  
fitting ø 3/8" NPT conical  
for Coffee machine (CIMBALI) E98COMPACT  
M21JUNIOR - M31COMPACT - M32COMPACT - M502S  
for Coffee machine (SPAZIALE)



CIMBALI 533-197-300

FAEMA 533197300

SPAZIALE 05408

**1330024 ROTARY VANE PUMP PROCON ø 3/8" NPT**  
clamp connection  
flowrate 100 L/h  
with balanced by-pass  
fitting ø 3/8" conical NPT  
for 2-groups machines  
for Coffee machine (PAVONI) BAR - BART - CAFE



PAVONI 452006

PAVONI 452010

**1330005 ROTARY VANE PUMP ROTOFLOW ø 3/8" GAS**  
compact model  
clamp connection  
flowrate 100L/h  
with balanced bypass  
N.S.F. Approved  
CA104



**1330006 ROTARY VANE PUMP ROTOFLOW ø 3/8" GAS**  
clamp connection  
flow rate 200 l/h  
equipped with balanced bypass  
knurled shaft ø 11-13 teeth  
connection ø 3/8" gas  
homologation N.S.F.



UNIC

**1330008 ROTARY VANE PUMP ROTOFLOW ø 3/8" GAS**  
clamp connection  
flowrate 150 L/h  
with balanced bypass  
fitting ø 3/8" GAS  
N.S.F. approved  
for Coffee machine (MARZOCCO) FB/70 - FB/80 - GB/5  
LINEA - MISTRAL  
for Coffee machine (SPAZIALE)  
for Coffee machine (VIBIEMME) CHIMAERA - CUBO  
DOSAPLUS - EVOLUTION - KOMETA - LOLLO  
MERCURY - MINIMAX - REPLIC - REVOLUTION  
SILVER



MARZOCCO L290/1

SPAZIALE 01622

VIBIEMME POMPPRONO

**1330021 ROTARY VANE PUMP ROTOFLOW ø 3/8" GAS**  
clamp connection  
flow rate 50 L/h  
with balanced bypass  
length 74 mm  
fitting ø 3/8" gas  
N.S.F. approved



ASTORIA CMA 26303002

SAN MARCO

WEGA WY26303002



## Booster pumps



Suitable for:

### 1330022 ROTARY VANE PUMP ROTOFLOW ø 3/8" GAS

compact model  
clamp connection  
flowrate 50L/h  
with balanced bypass  
length 58 mm  
fitting ø 3/8" gas  
N.S.F. Approved



NUOVA SIMONELLI 01300004

SPAZIALE 02390

Suitable for:

### 1330025 ROTARY VANE PUMP ROTOFLOW ø 3/8" GAS

clamp connection  
flowrate 70 liters/h  
with filter  
with balanced bypass  
fitting ø 3/8" GAS  
N.S.F. approved  
for Coffee machine (GRIMAC) ECLISSE - TEN



FIorenzato C.S. A1900033

GRIMAC GRC128

GRIMAC A1900033

### 1330026 ROTARY VANE PUMP ROTOFLOW ø 3/8" GAS

clamp connection  
flowrate 200 L/h  
equipped with bypass  
connection ø 3/8" gas  
N.S.F. approved  
for Coffee machine (ASTORIA CMA) PLUS4YOU



ASTORIA CMA 26303

ORCHESTRALE D26303

WEGA WY26303

### 1330030 ROTARY VANE PUMP ROTOFLOW ø 3/8" GAS

clamp connection  
flowrate 200 L/h  
with balanced by-pass  
coupling ø 3/8" GAS with nose cap strike  
N.S.F. approved



RANCILIO 10705960

### 1330034 ROTARY VANE PUMP ROTOFLOW ø 3/8" GAS

clamp connection  
flowrate 70 liters/h  
with balanced bypass  
fitting ø 3/8" GAS  
N.S.F. approved  
for Coffee machine (VIBIEMME) CHIMAERA - CUBO  
DOMOBARSUPER - DOSAPLUS - EVOLUTION - KOMETA  
LOLLO - MERCURY - MINIMAX - REPLIC  
EVOLUTION - SILVER



VIBIEMME POMPPRONOSETN

### 1330051 ROTARY VANE PUMP ROTOFLOW ø 3/8" GAS

magnetic drive  
clamp connection  
flowrate 50L/h at 1400 rpm  
flowrate 100L/h at 2800 rpm  
with balanced bypass  
fitting ø 3/8" gas







Suitable for:

## Booster pumps



### 1330122 ROTARY VANE PUMP ROTOFLOW ø 3/8" GAS

model compact  
flange connection  
flowrate 50 L/h  
with balanced by-pass  
length 58 mm  
fitting ø 3/8" gas  
N.S.F. approved  
PUMP VERSION ECO-BRASS  
BRASS CW510L LEAD ≤0.2%



### 1330001 ROTARY VANE PUMP ROTOFLOW ø 3/8" NPT

clamp connection  
flowrate 100 L/h  
equipped with balanced bypass  
connection ø 3/8" conical NPT  
N.S.F. approved  
for Coffee machine (EXPOBAR) EXPRESSO  
MINICOMPACT - MONROC - OFFICE



ASTORIA CMA 26303001  
CONTI 4057225  
GRIMAC 1220100003  
GRIMAC GRC645  
NUOVA SIMONELLI 01300005  
SPAZIALE 00457

AZKOYEN  
EXPOBAR 60000030  
GRIMAC 1220100006  
GRIMAC GR811  
ORCHESTRALE D26303001  
VICTORIA ARDUINO 01300005

BRASILIA 00604.4.00.08  
GAGGIA DM0217/002/PG  
GRIMAC F142/1  
GRIMAC V509  
SAECO DM0217/002/PG  
WEGA WY26303001

### 1330002 ROTARY VANE PUMP ROTOFLOW ø 3/8" NPT

clamp connection  
flowrate 200 L/h  
equipped with balanced bypass  
NSF approved  
PA204  
for Coffee machine (ASTORIA CMA) ARGENTA - BRAVA  
COMPACT  
for Coffee machine (AZKOYEN) AZ04 - VIENNA



### 1349100 PUMP CONNECTION ø 3/8" CONIC-3/8" STRAIGH 3/8" CONICAL (NPT) - 3/8" STRAIGHT



ASTORIA CMA  
BRASILIA 04321.4.00.08  
FUTURMAT-ARIETE 07822109  
GRIMAC 1220100007  
MAIRALI 07822109  
PROMAC 69000285  
ROYAL 5002150  
VFA EXPRES

AZKOYEN  
BRASILIA 04321.4.00.09  
GAGGIA  
GRIMAC V509/1  
NUOVA SIMONELLI 01300006  
RANCILIO 69000266  
SAN MARCO 202001  
VICTORIA ARDUINO 01300006

BFC 5002150  
CIMBALI 533-191-600  
GAGGIA SPAGNA 07822109  
ITALCREM 07822109  
PAVONI  
RENEKA  
SCALA C-0521  
VISACREM 07822109

CIMBALI 532-500-600  
FIORENZATO C.S. A1300008  
RANCILIO

CONTI 755200  
GRIMAC A1300008  
VFA EXPRES

FAEMA 532500600  
PAVONI 31104001

### 1168011 STAINLESS STEEL CLAMP FOR FLANGE PUMP

for Coffee machine (VIBIEMME) CHIMAERA - CUBO  
DOSAPLUS - EVOLUTION - KOMETA - LOLLO  
MERCURY - MINIMAX - REPLIC - REVOLUTION  
SILVER



ASTORIA CMA 26310003  
BRASILIA 02223.0.00.03  
FAEMA 539000101  
MAGISTER 210005  
ORCHESTRALE D26310003  
ROYAL  
VIBIEMME FASCOT

AZKOYEN  
CIMBALI 539-000-101  
FUTURMAT-ARIETE  
MAIRALI  
PAVONI 404704  
SAN MARCO 202180  
WEGA WY26310003

BFC  
CONTI  
GRIMAC  
MARCFI-ANCAS  
RENEKA  
VIBIEMME ELETFASCPOMPA



Suitable for:

## Booster pumps



### 1330003 ROTARY VANE PUMP ROTOFLOW ø 3/8" NPT

flange connection  
flowrate 200 L/h  
equipped with balanced bypass  
connection ø 3/8" conical NPT  
N.S.F. approved  
for Coffee machine (FAEMA) DUE - E91



FAEMA

GRIMAC V510

GRIMAC 1220200004

### 1349100 PUMP CONNECTION ø 3/8" CONIC-3/8" STRAIGH 3/8" CONICAL (NPT)-3/8" STRAIGHT



CIMBALI 532-500-600

FIorenzato C.S. A1300008

RANCILIO

CONTI 755200

GRIMAC A1300008

VFA EXPRES

FAEMA 532500600

PAVONI 31104001

### 1330004 ROTARY VANE PUMP ROTOFLOW ø 3/8" NPT

clamp connection  
delivery 100 litri/h  
with filter  
with balance bypass  
fitting ø 3/8" NPT  
N.S.F. homologation



BEZZERA

GRIMAC A1900070

FIorenzato C.S. A1900070

FIorenzato C.S. A1900032

### 1330007 ROTARY VANE PUMP ROTOFLOW ø 3/8" NPT

steel body  
clamp connection  
delivery 300 liter/h  
with balance by-pass  
fittings ø 3/8" NPT  
homologation N.S.F.



### 1330029 ROTARY VANE PUMP ROTOFLOW ø 3/8" NPT

clamp connection  
flow rate 150 L/h  
with balanced by-pass  
fitting ø 3/8" GAS  
N.S.F. approved  
for Coffee machine (BIANCHI) LUCIA - SARA - SOFIA



BIANCHI 27011516

BIANCHI 27013110

GEM-FUTUREMA

### 1330052 ROTARY VANE PUMP ROTOFLOW ø 3/8" NPT

magnetic drive  
clamp connection  
flowrate 100L/h at 1450 rpm  
flowrate 200L/h at 2900 rpm  
with balanced bypass  
fitting ø 3/8" npt  
for Coffee machine (RENEKA) XLPALLAS



RENEKA 9007907



Suitable for:

## Booster pumps



### 1330101 ROTARY VANE PUMP ROTOFLOW ø 3/8" NPT

flange connection  
flowrate 100 L/h  
with balanced by-pass  
fitting ø 3/8" conical NPT  
N.S.F. approved  
PUMP VERSION ECO-BRASS  
BRASS CW510L LEAD  $\leq 0.2\%$



### 1330102 ROTARY VANE PUMP ROTOFLOW ø 3/8" NPT

flange connection  
flowrate 200 L/h  
with balanced by-pass  
fitting ø 3/8" conical NPT  
N.S.F. approved  
PUMP VERSION ECO-BRASS  
BRASS CW510L LEAD  $\leq 0.2\%$



### 1331035 ROTARY VANE PUMP ROTOFLOW ø 3/8" NPT

clamp fastening  
flowrate 100 L/h  
with balanced by-pass  
coupling ø 3/8" conical NPT  
N.S.F. approved  
for Coffee machine (BRASILIA)



BRASILIA 23007.4.00.08

### 1330028 VOLUMETRIC PUMP FLUID-O-TECH 1/8" NPT

magnetic drive  
screw fitting - NBR seals  
max pressure 20 bar  
gear h 4 mm - flow rate 0.3 ml/rev  
fluid temperature  $-45/+120^{\circ}\text{C}$   
fittings ø 1/8" NPT  
for Coffee machine (MARZOCCO) STRADA



MARZOCCO E.3.006.R